




Water Management Solutions

Water Management Solutions

Klargester BioDisc® Domestic Sewage Treatment Plant



* Dimensions illustrated here are applicable to the BA and BB models only

Choosing the right sewage treatment plant for your home with Klargester


Klargester provides relevant advice and support throughout the wastewater treatment purchasing process based on our in-depth local knowledge and expertise. We offer comprehensive free site visits, professional installation options (optional extra) and aftersales care through our national network of accredited installers and engineers.

BioDisc is Third Party Tested to EN 12566-3 (GB & NI) and SR66:2025* (IE)

I'm a homeowner - what do I need to consider before choosing my treatment plant? The Klargester BioDisc sewage treatment system is available to suit all types of domestic applications, catering for single and multi-house properties. BioDisc is engineered to treat wastewater to a very high standard and offers affordable lifetime costs compared to other treatment processes.

Our team will guide you through:

- Size of treatment plant required
- Ground conditions around the plant
- Wastewater discharge options
- Invert level options



*BA and BC models only in IE

Water Management Solutions Water Management Solutions

How it works
















Primary settlement tank

Wastewater and sewage flows into the primary settlement tank where the large solids are retained for future removal.



First stage biological treatment

The liquor and fine solids then flow into the Biological Treatment Zone 1 where the first stage of treatment occurs.



Second stage biological treatment

The liquor is then fed forward at a controlled rate into Biological Treatment Zone 2 for further treatment.





Final settlement tank

The clean liquid passes into the final settlement tank where it can be discharged to ground or water course.



featuring alarm* and digital display to signal that your system alarm optional extras).

SmartServ Pro

Ask us about our SmartServ Pro remote lets you know when your system needs Find out more at helpingyou@kingspan.com



Integrated Pump System also only). Our technical team will guide you through the best options for your site.

Book your free site visit from our in-house Klargester team at klargester@kingspan.com or visit klargester.co.uk

Technical Specification

Unit Reference	BA	BAx	ВВ	ВС
Population Equivalent (Std Flow)	6	9	12	18
Maximum Daily BOD (kg)	0.36	0.54	0.72	1.08
Maximum Daily Flow (m3)	1.2	1.8	2.4	3.6
Ø/Width (mm)	1995	1996	1995	2450
Length (mm)	-	-	-	-
Inlet Invert depth (mm)	450/750/1250	450/750/1251	450/750/1250	600/1100
Depth Below Inlet Invert (mm)	1400	1400	1400	1820
Outlet Invert Depth (mm)	1315	1315	1315	1735
Overall Height (mm)	2160/2460/2960	2160/2460/2960	2160/2460/2960	2825/3325
Height to Rim of Cover (mm)	1945/2245/2745	1945/2245/2745	1945/2245/2745	2485/2985
Empty Weight (kg)	310/325/380	310/325/380	335/350/405	650/750
Standard Power Supply	1 phase	1 phase	1 phase	1 phase
Motor Rating - 1 Phase (Watts)	50	50	50	75
Full Load Current 1 Phase (amps)	0.51	0.51	0.51	1,1
Optional Power Supply	3 phase	3 phase	3 phase	3 phase
Motor Rating - 3 Phase (Watts)	N/A	N/A	N/A	90
Full Load Current 3 Phase (amps)	N/A	N/A	N/A	0.38
Sludge Return Pump Rating (watts)	250	250	250	250

Invert level options

Three standard drain invert level options are available from stock to match the site topography and where applicable, minimise the excavation depth. The BA, BB and BA-X models are available with an integral pump to move the effluent from the point of treatment, if site level demands.

Environment Agency regulations

you must comply with the General Binding Rules by ensuring your treatment system can help with servicing and is maintained properly and does alarm packages - email not cause pollution. These rules helpingyou@kingspan. state that you must arrange

provider. Kingspan Service

Protect your investment with our Service and Maintenance Plans

We recommend that you service your BioDisc sewage treatment plant **once a year**. Under Environment Agency regulations, it's now your responsibility to ensure could benefit from a tailored smooth running of your plant.

Our in-house Service department offer a range of service packages including Gold, Silver and Bronze

to cater for all homeowners' needs.

To find out more about how you service package from Kingspan, call us on +44 (0)28 3026 6799 (NI) or 0818 544 500 (ROI) or email helpingyou@kingspan.com

For further technical information & videos on the BioDisc treatment plant visit our website at klargester.co.uk

Contact Details

UK

Kingspan Water & Energy Ltd.

College Road North Aston Clinton | Aylesbury Buckinghamshire | HP22 5EW

T: +44 (0) 1296 633 033 F: +44 (0) 1296 633 001 E: klargester@kingspan.com www.klargester.co.uk

Kingspan Water & Energy Ltd.

Service Office Details: 180 Gilford Road Portadown | BT63 5LF

04/2025_v6_5010.01_gb_wildon

T: NI: +44 (0)28 3836 4600 ROI: 0818 543 500

E: helpingyou@kingspan.com www.kingspanservice.com

